

# Mathematics Paper 1 FORM 4 5 NOVEMBER 2019

TIME: 3 hours

Examiner: Miss Eastes
Name and Surname:

TOTAL: 150 marks
Moderated: Miss Rohrs and Mrs Gunning

# PLEASE READ THE FOLLOWING INSTRUCTIONS CAREFULLY BEFORE ANSWERING THE QUESTIONS.

- This question paper consists of 13 questions, 20 pages. You are also given an Information Sheet.
- Answer all questions on the Question Paper.
- Read and answer all questions carefully. Write legibly and present your work neatly.
- All necessary working which you have used in determining your answers must be clearly shown.
- Approved non-programmable calculators may be used except where otherwise stated.
   Where necessary give answers correct to <u>1 decimal place</u> unless otherwise stated.
- Diagrams have not necessarily been drawn to scale.

SECTION A	Q1	Q2	Q3	Q4	Q5	Q6	Q7	
Out of	33	8	4	7	13	4	9	
SECTION B	Q8	Q9	Q10	Q11	Q12	Q13		TOTAL
Out of	19	13	12	13	10	5		150

# **SECTION A**

1.1 Solve for $x$ in each of the following. Show all relevant working detail.	
a) $x^2 - 1 = x$ (Round off to two decimal places)	(4)
b) $2x^2 - x - 6 > 0$	(4)
1.2 Simplify the following without a calculator:	
a) $\sqrt{9x^4 + 16x^4}$	(2)

b) $\left(\frac{b^{-\frac{1}{3}}}{\sqrt[3]{b^2}}\right)^{-2}$	(4)
c) $\frac{9^{n-1}.27^{3-2n}}{81^{2-n}}$	(4)


d)	$\frac{2^{x+2}-3.2^{x+1}}{2^{x-1}}$	(4)
u,	$2^{x-1}$	(1)
e)	$)  \frac{pq^{-1} - p^{-1}q}{q^{-1} - p^{-1}}$	(5)
	q - P	
	ч Р	
	Y P	
	Y P	
	4 P	

1.3 S	olve for both $x$ and $y$ in the system of equations below.	
	$2y + x = 1$ and $y = 3x^2 - x - 3$	(6)
		[33]
Ques	stion 2	
<u> </u>		
	8; 24; 72;	
a)	Write down the next 3 terms of the sequence.	(3)
I- \	Final the annual to me	(0)
D)	Find the general term.	(2)
c)	Show by calculation whether 5832 is a term of this sequence or not.	(3)
_		
		[8]

After just 2 years, a tablet is worth one third of its original value. Assuming reducing balance depreciation, what was the annual rate of depreciation?



[4]



a)	) Which function, f or g, has the equation $y = a^x$ ?	(1)

[7]

(4)


b) What is the range of g(x)?	(1)
-------------------------------	-----

- c) Give the equation of the asymptote of g(x). (1)
- d) Give the equation of the axis of symmetry of f(x) (1)
- e) For what values of x is f(x) increasing? (1)
- f) For what values of x will g(x).f(x) < 0? (2)

\_\_\_\_\_


**Question 5** 


Calculate the values of a; b; c; d; e; f and g in each of the equations below:




$y - \frac{1}{x}$	-b 1 C		( ')










$$y = g.h^x + i (4)$$

\_\_\_\_\_[13]

#### **Question 6**

Without solving for x, determine the nature of the roots of the following equation:

$$x^2 - 4x = -3 \tag{4}$$



33 girls were asked about their chocolate preference - dark, milk or white.

- 2 liked all three
- 5 liked dark and milk
- 7 liked dark and white
- 6 liked white and milk
- 18 liked dark
- 12 liked white
- 4 liked milk only.

a)	Determine the values of a; b; c; d and e.	(5)
b)	What is the probability that a girl likes only one kind of chocolate?	(2)
-\		Ī
c)	What is the probability that, out of the girls who like dark chocolate, a randomly selected girl from this group will like milk chocolate?	(2)

#### **SECTION B**

a) 3	3; <b>12</b> ; <i>x</i> ; <b>54</b> ; is a quadratic sequence.	
i)	Show by calculation that $x = 29$ .	(4)
ii)	Hence, determine the general term of the sequence.	(5)

III <i>)</i>	difference of <b>73.</b> (HINT: the first differences form a linear pattern)	(7)
b) I	f the following sequence is a geometric pattern.	
	Calculate the common ratio and write down the next two terms of the sequence.	
,	$4x$ ; $8x^2$ ; $16x^3$ ;	(3)
-	fx, Ox , 10x ,	(3)

a)	7,5% p.a. compounded quarterly.	Σt
i)	What effective rate would give him the same return on his investment?	(3)
ii)	Bob deposits R10 000 immediately.	
	The interest rate for the first year is 7,5% compounded quarterly.	
	At the end of the first year, the interest changes to 7,8% compounded monthly.	
	6 months later, the rate again changes, to 7% compounded monthly and he deposits another R 5000.	
	What would the investment be worth at the end of the 3 <sup>rd</sup> year?	(5)

b)	Suzie opened a savings account by depositing R15 000 immediately. 2 Years later she withdrew Rx. After a further 3 years, she deposited another R21 500. At the end of 6 years she had R30 000 in her bank account. Interest is compounded at 6% pa compounded				
	monthly. Calculate the value of x.	(5)			

[13]

 a) After exams, you settle down in front of the TV to watch a movie. Your Mom puts a plate of biscuits next to you containing 10 biscuits with assorted flavours:



3 peanut butter, 5 chocolate chip and 2 ginger.

You get so engrossed in the movie that you don't look to see what biscuit you are choosing.

Two biscuits are chosen and eaten, one after the other.
 Draw a tree diagram to represent all the outcomes.

ii)	Having eaten 2 biscuits.  What is the probability that you have eaten at least 1 chocolate chip biscuit?	(3)


b)

Age of driver	2 accidents or less	More than 2 accidents	Total
40 or younger	200	100	300
Older than 40	50	50	100
Total	250	150	400

400 drivers were interviewed about the number of accidents they were involved in while driving. The results were summarised in the table above.

Is the number of people that had **2 accidents or less** independent of the age if the people were **older than 40**?

Show the calculations used.	(5)




 $f(x) = ax^2 + bx + c \text{ and } g(x) = 2x$ 

The point (4; 7) is the turning point of the parabola.

a) Write down the co-ordinates of Q.	(2)
b) Show by calculation that $f(x) = -x^2 + 8x - 9$ .	(4)

c)	Give the new equation of $h(x)$ in its <b>simplest form</b> if $h(x) = f(x+3)$ and <b>describe the transformation that occurred.</b>	(3)
d)	Give the new equation of $t(x)$ if $t(x) = -f(x)$ and describe the transformation that occurred.	(2)
e)	If $-x^2 + 8x - 9 = 2x + k$ What must the value of k be so that there are two real roots.	(2)

Look at the sketch graph alongside (not according to scale) of the parabola  $f(x) = x^2 - 3x - 4$  and straight line g(x) = -x + 11. The graphs intersect at A and B.



Determine:

a) The I	length of OK if MP is 33 units.	(5)
b) The	maximum length of RT.	(5)

Given that  $f(x) = \frac{1}{4}x^2 + px - 3$  and the minimum value of f(x) is -12.

Determine the value(s) of p	).		[5]
