



**GAUTENG DEPARTMENT OF EDUCATION
PROVINCIAL EXAMINATION
JUNE 2019
GRADE 10**

**PHYSICAL SCIENCES
PAPER 1**

TIME: 1½ hours

MARKS: 100

10 pages, 1 data sheet and 1 graph paper

GAUTENG DEPARTMENT OF EDUCATION**PROVINCIAL EXAMINATION****PHYSICAL SCIENCES****TIME: 1½ hours****MARKS: 100**

INSTRUCTIONS

1. Write your name in the appropriate space on the ANSWER BOOK.
2. This question paper consists of **6** questions. Answer ALL the questions.
3. Remove the graph paper, page 12 and hand it in with your ANSWER BOOK.
4. You may use a non-programmable calculator.
5. You may use appropriate mathematical instruments.
6. **YOU ARE ADVISED TO USE THE ATTACHED DATA SHEETS.**
7. Number the answers correctly according to the numbering system used in this question paper.
8. Write neatly and legibly.
9. Start EACH question on a NEW page in the ANSWER BOOK.
10. Leave ONE line between two sub-questions, for example between QUESTION 2.1 and QUESTION 2.2.
11. Show ALL formulae and substitutions in ALL calculations.
12. Round off your FINAL numerical answers to a minimum of TWO decimal places where needed.
13. Give brief motivations, discussions, et cetera where required.

SECTION A

QUESTION 1: MULTIPLE-CHOICE QUESTIONS


Four options are provided as possible answers to the following questions. Each question has only ONE correct answer. Write only the letter (A-D) next to the question number (1.1-1.10) on the answer sheet. Each answer counts TWO MARKS.

- 1.1 What is the magnitude of the angle between the direction of the disturbance and the direction of propagation of a transverse wave?

A 0°
B 45°
C 90°
D 180°

(2)

- 1.2 The diagram shows two waves travelling in the same medium for the same length of time.



The two waves have different...

A amplitudes.
B speeds.
C energies.
D frequencies.

(2)

- 1.3 Two points on a transverse wave that have the same magnitude of displacement from equilibrium are said to be in phase if these points also have the ...
- A same direction of displacement and the same direction of motion.
 - B same direction of displacement and the opposite direction of motion.
 - C opposite direction of displacement and the same direction of motion.
 - D opposite direction of displacement and the opposite direction of motion. (2)
- 1.4 If two charges are identical with one having a charge Q , and they are brought together to touch each other and are then separated. The new charge on each will be...
- A Q .
 - B $2Q$.
 - C $\frac{1}{2}Q$.
 - D $4Q$. (2)
- 1.5 The region in a space where a magnetic material will experiences a force is called a/an ...
- A charge.
 - B electric field.
 - C magnetic field.
 - D magnetic flux. (2)
- 1.6 Which one of the following is equal to 10 C.s^{-1} ?
- A 10 V
 - B 10 A
 - C 10Ω
 - D 10 nC (2)
- 1.7 For which ONE of the quantities below is the CORRECT unit of measurement for the given quantity?

| | QUANTITY | UNIT |
|---|----------------------|-------------------|
| A | Current | A.s^{-1} |
| B | Energy | kW |
| C | Potential difference | V |
| D | Resistance | V.s |

1.8 Consider the following statements concerning ultraviolet radiation:

- (i) It can be reflected.
- (ii) It has a longer wavelength than gamma rays.
- (iii) It is radiated from the sun and may be harmful to humans.


- A (i) and (ii) only
- B (ii) and (iii) only
- C (i) and (iii) only
- D (i), (ii) and (iii)

1.9 Choose the CORRECT combinations below concerning the pitch and loudness of sound.

The pitch and loudness of sound depend on:

| | PITCH | LOUDNESS |
|---|------------------------|------------------------|
| A | Frequency | Amplitude of vibration |
| B | Frequency | Speed of vibration |
| C | Amplitude of vibration | Frequency |
| D | Speed of vibration | Frequency |

1.10 Two pulses travel towards each other as shown in the diagram. When they meet, the resultant displacement and type of interference will be:




| | RESULTANT DISPLACEMENT | TYPE OF INTERFERENCE |
|---|------------------------|----------------------|
| A | $4a$ | Constructive |
| B | $2a$ | Constructive |
| C | $-2a$ | Destructive |
| D | $-4a$ | Destructive |


[20]

SECTION B
QUESTION 2

- 2.1 The diagram below shows two waves A and B of the same wavelength but different amplitudes crossing each other.



- 2.1.1 Define the term *wavelength*. (2)
- 2.1.2 Draw the shape of the resulting wave as the two waves **A** and **B** cross. On your diagram show the resulting amplitude. (4)
- 2.1.3 Which wave property is illustrated in QUESTION 2.1.2? (2)
- 2.1.4 State the principle used to answer QUESTION 2.1.2. (2)
- 2.2 In the sketch below, not drawn to scale, **Q** represents an object on the surface of the water in a dam. A person standing on a bridge observes object **Q** moving up and down. Object **Q** rises to the top every 5 s.




- 2.2.1 Define the term *period of a wave*. (2)
- 2.2.2 In which direction is object **Q** about to move? Write only UPWARDS or DOWNWARDS. (2)
- 2.3 Calculate the ...
- 2.3.1 frequency of the waves. (4)
- 2.3.2 speed of the waves. (4)

[22]

QUESTION 3

A section of the sound wave produced by a musical instrument is shown below.



- 3.1 Define the term, *pulse*. (2)
- 3.2 Identify the components of the wave labelled
- 3.2.1 B (1)
- 3.2.2 A (1)
- 3.3 The highest frequency that a normal human ear can hear is about 20 kHz. A special whistle known as the silent whistle is used to train dogs.



- 3.3.1 If the whistle produces sound waves of wavelength 9 mm, determine, by calculation, whether the human ear will hear the sound produced by this whistle. Take the speed of sound in air to be 342 m.s^{-1} . (5)
- 3.3.2 Name the type of sound produced by the silent whistle. (1)
- 3.4 A sound emitting device is placed between two buildings **A** and **B**, as shown below.



A sound wave emitted from the device strikes building A perpendicularly and returns to the device after 1,0s.

A second sound wave strikes building B perpendicularly and returns to the device after 1,5s. If the speed of sound in air at that point is 340 m.s^{-1} , calculate the distance between the two buildings.

(6)
[16]

QUESTION 4

4.1 Radio waves are observed to have a wavelength of 0,14 m.

4.1.1 Give ONE use of radio waves in technology. (1)

4.1.2 Calculate the energy of a photon of these radio waves. (4)

4.2 An athlete breaks his leg while jogging and goes to have X-rays taken. X-rays emitted by the x-ray machine have a wavelength of $1,5 \times 10^{-11}$ m.



4.2.1 At what speed do X-rays travel? (1)


4.2.2 Calculate the frequency of the wave. (2)

4.3 *Overexposure to X-rays can be potentially dangerous.* Provide a reasons for this statement. (2)

[10]

QUESTION 5


- 5.1 Two insulated, graphite-coated polystyrene spheres **A** and **B** are suspended from threads. The spheres are held apart at a small distance. The charges on the spheres **A** and **B** are -8 C and $+20\text{ C}$, respectively. When the spheres are released they move towards each other.



- 5.1.1 Explain why the spheres move towards each other when they are released. (2)
- 5.1.2 Which one of the two spheres has excess electrons? Write down SPHERE A or SPHERE B. (1)
- 5.2 The two spheres are allowed to touch each other and then separate.
- 5.2.1 Calculate the charge on each sphere after contact. (3)
- 5.2.2 Will the force now be one of ATTRACTION or REPULSION? Give a reason for your answer. (2)
- 5.2.3 State the *principle of quantisation of charge*. (2)
- 5.2.4 Determine the number of electrons transferred between the two spheres during contact. (4)
- (14)**

QUESTION 6


- 6.1 Consider the circuit below. When the switch is open and a voltmeter is connected across the battery it reads the *emf* of the battery. When the switch is closed, ammeter A_1 reads 5A and ammeter A_2 reads 3 A.



- 6.1.1 Define *emf* of a battery. (2)
 6.1.2 Calculate the effective resistance of the combination of the two resistors. (3)
 6.1.3 What will be the reading on ammeter A_3 when the switch is closed? (3)

Consider the circuit below. When the switch is closed, voltmeter V_1 reads 4V, V_2 reads 1.6 V and voltmeter V_4 reads 1 V.

6.2



- 6.2.1 Calculate the effective resistance of the combination of the three resistors. (3)
 6.2.2 Determine the voltmeter reading on V_3 when the switch is closed. (2)
 6.2.3 If the current passing through the $8\ \Omega$ resistor is 0,2 A, what will the current through $5\ \Omega$ resistor be? Explain. (2)
- 6.3 A charge of 48 C flows through a circuit in 2 minutes. Calculate the current flowing through the circuit. (3)

[18]

TOTAL: 100

DATA FOR PHYSICAL SCIENCES GRADE 10
PAPER 1 (PHYSICS)

GEGEWENS VIR FISIESE WETENSKAPPE GRAAD 10
VRAESTEL 1 (FISIKA)

TABLE 1: PHYSICAL CONSTANTS / TABEL 1: FISIESE KONSTANTES

| NAME / NAAM | SYMBOL / SIMBOOL | VALUE / WAARDE |
|---|------------------|---|
| Speed of light in a vacuum <i>Spoed van lig in 'n vakuum</i> | C | $3,0 \times 10^8 \text{ m}\cdot\text{s}^{-1}$ |
| Plank's constant <i>Plank se konstante</i> | H | $6,63 \times 10^{-34} \text{ J}\cdot\text{s}$ |
| Charge on electron <i>Lading op elektron</i> | E | $-1,6 \times 10^{-19} \text{ C}$ |
| Electron mass <i>Elektronmassa</i> | m_e | $9,11 \times 10^{-31} \text{ kg}$ |

TABLE 2: FORMULAE / TABEL 2: FORMULES
WAVES, SOUND AND LIGHT / GOLWE, KLANK EN LIG


| | |
|-------------------------------|---|
| $v = f\lambda$ | $f = \frac{1}{T}$ or/of $T = \frac{1}{f}$ |
| $E = hf = \frac{hc}{\lambda}$ | |

ELECTRIC CIRCUITS / ELEKTRIESE STROOMBANE

| | |
|---------------------------|---|
| $V = \frac{W}{Q}$ | $I = \frac{Q}{\Delta t}$ |
| $R_s = R_1 + R_2 + \dots$ | $\frac{1}{R_p} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$ |

NAME: _____

CLASS: _____



END